



I am pleased to present Ramstein Air Base's Annual Drinking Water Quality Report. This report is designed to inform you about the excellent water and services we have delivered to you over the past year. Our goal is to provide you with a safe, quality and reliable drinking water supply. We are continually striving to improve our services and protect our vital community water resources.

Lt Col Shannon McDonald Bioenvironmental Engineering Flight Commander

How pure is my water?

As water travels underground it can pick up various natural and man-made substances to include:

- *Microbes*, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganics*, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from agriculture, urban stormwater runoff, and residential uses.
- *Organic chemicals*, including synthetic and volatile organics, which are by-products of industrial processes and petroleum production, and can come from gas stations, urban stormwater runoff, and septic systems.
- Radioactive materials, which can be naturally occurring or the result of oil/gas production and mining activities.

Due to the exceptional quality of our groundwater source, treatment is actually not necessary for the most part. Chlorination is accomplished because it provides a measurable means of ensuring our water is properly disinfected. All of our water sources, except the Vogelweh/Kapaun Air Station area, are chlorinated, and some of our water sources are filtered. This is done to ensure the safest, most aesthetically pleasing product for our consumers.

Ramstein AB routinely monitors for over 60 individual drinking water parameters in accordance with FGS-G. The tables below show these results grouped together for the January 1st to December 31st 2016 monitoring period. All samples referenced in this report were collected by BE. For 2016, our systems were in full compliance with no exceedances.

Where do we get our drinking water?

The Kaiserslautern Military Community (KMC) draws all its drinking water from deep wells several hundred feet below ground. Our water is pumped from these wells, treated, and then distributed to our communities. Within the KMC, there are many water distribution systems. Ramstein Air Base has 2 systems, USAFE Contingency Training Squadron (CTS) has 2 systems, and the Cold Storage Area has 1 system. Since November 2007, Vogelweh, including Kapaun AS, are supplied by the City of Kaiserslautern water provider Stadtwerke Kaiserslautern – SWK.

Who ensures our water is safe?

Several offices are responsible for preserving the quality of our drinking water.

The 786th Civil Engineer Squadron (CES) Water Plant & Systems and Exterior Utilities sections operate and maintain the KMC water distribution systems and equipment. CES personnel work 24 hours a day, 7 days a week to ensure the system is pressurized and maintains sufficient disinfection (chlorine) residual. On a daily basis CES personnel conduct





operational monitoring at the treatment plants to maintain the high quality of their final product -- drinking water for the KMC.

The 86th Medical Group Bioenvironmental Engineering (BE) Flight routinely monitors water quality throughout the system. Each week BE tests chlorine and pH levels, and collects water samples for bacteriological analysis. Analysis is conducted at the BE laboratory, and then reported to various organizations on a monthly basis. Periodically BE collects additional water samples for chemical analysis based on a monitoring schedule directed by the Final Governing Standards for Germany (FGS-G) to determine compliance.

The US Army Public Health Command Public Health Region - Europe (PHRE) at Landstuhl, a German and US certified and accredited laboratory, performs the analytical analyses for most of analytical requirements beyond bacteriological analysis.

The FGS-G defines the parameters to be monitored (typically the most stringent of the US/German requirements are utilized), the sampling frequency, the maximum contaminant level (MCL), the notification procedures, and what processes should be initiated if non-compliance is detected (e.g., additional treatment techniques, bottled water issuance, etc). BE is ultimately responsible for characterizing health risks and ensuring public notifications are provided on a timely basis.

In addition to the FGS-G required compliance monitoring, CES and BE respond to all drinking water related problems, to include when the water has to be shut off in certain areas (i.e., water main breakage, routine maintenance, new facilities coming on line, etc).

Terms and Abbreviations

The terms and abbreviations below will assist you with understanding some of the difficult words and acronyms found in the tables below and within this report.

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water before some type of action is required.

Action Level (AL) – A level below the MCL that if exceeded requires initiation of additional monitoring and possible operational actions.

Milligrams per Liter (mg/l) – unit of measure. One mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.

VOC – Volatile Organic Compounds

SOC – Synthetic Organic Compounds

PAH – Poly Aromatic Hydrocarbons

TTHM – Total Trihalomethanes





Required Monitoring Parameters per FGS-G:

SOC, VOC, PAH, TTHM and Inorganic parameters (grey area on the following tables) were monitored and are listed below.

SOC (Pesticides/PCBs):

Alachlor Aldicarb

Aldicarb Sulfone Aldicarb Silfoxide
Atrazine Carbofuran

Chlordane 2,4 –D <u>TTHM:</u>

Endrin Ethylene dibromide (EDB) Dibromochloromethane Heptachlor Lindane Dichlorobromomethane

Methoxychlor Tribromomethane (Bromoform) 1,2-Dibromo-3chloropropane (DBCP) Trichloromethane (Chloroform)

<u>VOC:</u> <u>Inorganics:</u>

Benzene Carbon tetrachloride Arsenic Barium
o-Dichlorobenzene cis-1,2-Dichloroethylene Beryllium Cadmium
1,1-Dichloroethylene trans-1,2- Chromium Copper
Dichloroethylene Cyanide Fluoride

1.1.1-Trichloroethane 1.2-Dichloroethane Lead Mercury Dichloromethane Nickel Nitrate 1.1.2-Trichloroethane 1,2,4-Trichloro-benzene 1,2-Dichloropropane Nitrite Selenium Ethylbenzene Monochlorobenzene Silver Sodium Para-Dichlorobenzene Thallium Styrene Surfactants

Tetrachloroethylene Trichloroethylene Zinc

Toluene Vinyl chloride

Xylene (total)

PAH:

Fluoranthene Benzo-(b)-Fluoranthene Benzo-(k)-Fluoranthene Benzo-(a)-Pyrene

Benzo-(ghi)-Perylene Indeno-(1,2,3-cd)-Pyrene





Drinking Water and Your Health

All drinking water, including bottled water, may reasonably be expected to contain small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information on contaminants and potential health effects can be obtained by calling BE at DSN 479-2220 (06371-462220).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised individuals such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, those with HIV/AIDS or other immune system disorders, some elderly, and infants may be at a higher risk of waterborne illness. These people should seek advice about drinking water from their health care providers.

A Final Word on Water Quality

Your water quality team at Ramstein AB works around the clock to provide safe, dependable water at every tap. But we can only ensure the success of today's mission if everyone contributes.

Tomorrow's success will depend on all of us, working together, to protect our vital water resources.

Remember, the water we use does **not** quickly return to the aquifer, but is, for the most part, "consumed" by our actions. US military installations within the KMC and many nearby villages draw water from the same aquifer. Conservation is therefore essential to protect our water supply.

Water conservation measures taken at Ramstein AB include restricting irrigation and installing low-flow plumbing fixtures during housing and office renovations. You should also consider ways you can reduce your water consumption (i.e., don't let the water run while brushing your teeth, taking a shower vs. a bath). There are numerous ways to save our most valuable natural resource for us, and the future of our children. If you have ideas to reduce usage and contamination of this valuable resource submit it to the Ramstein AB Water Working Group (BE is the point of contact).

These efforts will help protect the future water supply by reducing the overall consumptive use.

Customer Views Welcome

Although the base does not hold public meetings on its distribution systems, we are available to address any questions or concerns you may have. Housing residents should contact the Housing Office, at DSN 489-6643, with any water concerns. Dorm residents should contact their building manager.

For More Information

...on this report or base drinking water quality, call the 86th Medical Group's Bioenvironmental Engineering at 479-2220.





Table 1 Ramstein AB System I (Servicing Ramstein North, including Family Housing, Child Development Centers, DoD schools and youth center)				
Parameters Monitored		Range		
(by Group)	MCL - AL	Low	High	Exceedance
Lead (mg/l)	0.015	< 0.0002	0.0061	No
Copper (mg/l)	1.3	0.003	0.1	No
SOC (including Pesticides & Herbicides) (mg/l)				No
VOC (mg/l)	See Note ²			No
PAH (mg/l)	See Note		No	
Inorganics (mg/l)				No
TTHM (mg/l)				No
Bacteriological	0	N/A	N/A	No

Table 2. Ramstein AB System 2 (Servicing the area between Kiesling Drive and the flight line, including the flight line north of Taxiway India)				
Parameters Monitored		Range		
(by Group)	MCL - AL	Low	High	Exceedance
Lead (mg/l)	0.015	< 0.0002	0.0061	No
Copper (mg/l)	1.3	0.003	0.01	No
SOC (including Pesticides & Herbicides) (mg/l)				No
VOC (mg/l)	No No			No
PAH (mg/l)				No
Inorganics (mg/l)				No
TTHM (mg/l)				No
Bacteriological	0	N/A	N/A	No

Table 3. CTS System (G) (Industrial and administrative area - No MFH)				
Parameters Monitored		Range		
(by Group)	MCL - AL	Low	High	Exceedance
Lead (mg/l)	0.015	< 0.0002	0.0017	No
Copper (mg/l)	1.3	< 0.002	0.16	No
SOC (including Pesticides & Herbicides) (mg/l)				No
VOC (mg/l)	See Note ² No			No
PAH (mg/l)				No
Inorganics (mg/l)				No
TTHM (mg/l)				No
Bacteriological	0	N/A	N/A	No

Table 4. CTS System (A) Barrier Maintenance (Industrial and administrative – No FH)				
Parameters Monitored		Ran	Range	
(by Group)	MCL - AL	Low	High	Exceedance
Lead (mg/l)	0.015	< 0.0002	0.0082	No
Copper (mg/l)	1.3	< 0.002	0.022	No
SOC (including Pesticides & Herbicides) (mg/l)				No
VOC (mg/l)	See Note²		No	
PAH (mg/l)			No	
Inorganics (mg/l)			No	
TTHM (mg/l)				No
Bacteriological	0	N/A	N/A	No

Table 7. Cold Storage System (Servicing the cold storage area - strictly industrial and administrative – No MFH)				
Parameters Monitored		Range		
(by Group)	MCL - AL	Low	High	Exceedance
Lead (mg/l)	0.015	0.0015	0.003	No
Copper (mg/l)	1.3	0.007	0.016	No
SOC (including Pesticides & Herbicides) (mg/l)				No
VOC (mg/l)	See Note ²			No
PAH (mg/l)				No
Inorganics (mg/l)				No
TTHM (mg/l)				No
Bacteriological	0	N/A	N/A	No

Note: All of Ramstein AB was supplied by water treatment plant one and two. Ramstein water treatment plants three and four were out of operation due to mechanical and electrical problems.

Note²: Parameters and results are too numerous to report in this table. All results are available upon request; there were no exceedances for 2015

Note³: In 2016, Ramstein tested for Perfluorooctanoic Acid (PFOA) and

Perfluorooctane Sulfonate (PFOS) at the direction of the Department of Defense acting of the Environmental Protection Agency's newly established health advisory. PFOS/PFOA are compounds found in everyday life products, such as carpets, clothing, fabrics for furniture, paper for packaging of food and other materials (e.g., cookware) that are resistant to water, grease, and stains. PFOS/PFOA were also present in Aircraft Fire Fighting Foam used extensively by the AF. The results for Ramstein were well below the EPA's lifetime health advisory.





$\label{lem:maximum contaminant Levels (MCLs) for Parameter\ IAW\ Final\ Governing\ Standards\ for\ Germany\ (FGS-G):$

Monitoring Parameter	MCL in mg/L
SOC (Pesticides/PCBs)	
Alachlor	0.002
Aldicarb	0.003
Aldicarb Sulfone	0.003
Aldicarb Silfoxide	0.004
Atrazine	0.003
Carbofuran	0.04
Chlordane	0.002
2,4 -D	0.07
Endrin	0.002
Ethylene dibromide (EDB)	0.00005
Heptachlor	0.0004
Lindane	0.0002
Methoxychlor	0.04
1,2-Dibromo-3chloropropane (DBCP)	0.0002

Monitoring Parameter	MCL in mg/L
PAH	
Benzo-(a)-Pyrene	0.00001
Fluoranthene	
Benzo-(b)-Fluoranthene	
Benzo-(k)-Fluoranthene	Total 0.0001
Benzo-(ghi)-Perylene	
Indeno-(1,2,3-cd)-Pyrene	
TTHM	
Dibromochloromethane	
Dichlorobromomethane	
Tribromomethane (Bromoform)	Total 0.08
Trichloromethane (Chloroform)	





Monitoring Parameter	MCL in mg/L
VOC	
Benzene	0.001
Carbon tetrachloride	0.005
o-Dichlorobenzene	0.6
cis-1,2-Dichloroethylene	0.07
1,1-Dichloroethylene	0.007
trans-1,2-Dichloroethylene	0.1
1,1,1-Trichloroethane	0.2
1,2-Dichloroethane	0.003
Dichloromethane	0.005
1,1,2-Trichloroethane	0.005
1,2,4-Trichloro-benzene	0.07
1,2-Dichloropropane	0.005
Monochlorobenzene	0.1
Para-Dichlorobenzene	0.075
Styrene	0.1
Tetrachloroethylene	0.005
Trichloroethylene	0.005
Toluene	1.0
Vinyl chloride	0.002
Xylene (total)	10

Monitoring Parameter	MCL in mg/L
INORGANICS	
Arsenic	0.01
Barium	2.0
Beryllium	0.004
Cadmium	0.005
Chromium	0.1
Cyanide	0.2
Fluoride	4.0
Mercury	0.002
Nickel	0.1
Nitrate	10
Nitrite	1
Selenium	0.05
Sodium	No MCL
Thallium	0.002
Bacteriological	
Total Coliform Bacteria	0 – No Colonies